Is It ADHD, Perimenopause, or Both?

Understanding the overlap so you can get the right support

Many women in their 30s, 40s, and 50s notice new or worsening symptoms and wonder what is happening. Hormonal changes in perimenopause can intensify ADHD challenges. You can absolutely have both.



YOU MIGHT RELATE IF YOU:

- ☑ Feel more forgetful or scatterbrained than before
- ☑ Struggle more with focus, organization, or starting tasks
- ☑ Feel easily overwhelmed or emotionally reactive
- ☑ Have brain fog, word-finding trouble, or memory slips
- ☑ Feel exhausted no matter how much you rest
- ☑ Notice mood swings, anxiety, or low mood
- ☑ Sleep is lighter, worse, or interrupted
- ☑ Your period has become irregular
- ☑ You are not sure what is causing the change

THE BIG PICTURE

ADHD is a lifelong neurodevelopmental difference. Perimenopause is a temporary but powerful hormonal transition.

- They can look similar.
- They can make each other worse.
- They both deserve understanding and support.
- You deserve answers that fit YOU.

You are not imagining it.

Your brain and body are asking for support, not more pressure.

HOW THEY OVERLAP

BRAIN FOG & FORGETFULNESS

Trouble recalling words, losing track of things, or feeling mentally cloudy.

EXECUTIVE FUNCTION CHALLENGES

Harder time planning, prioritizing, starting, finishing, or switching tasks.

FATIGUE

Low energy, needing more rest, yet still feeling drained.

EMOTIONAL INTENSITY

More irritability, sensitivity, or feeling overwhelmed.

SLEEP DISRUPTION

Trouble falling asleep, waking up often, or not feeling rested.

LIFE IMPACT

Work, relationships, self-care, and daily routines feel harder than before.

YOU DESERVE SUPPORT THAT FITS YOU. The goal is not to "push through." The goal is to understand what is happening and support your brain and body.

(CONTINUED ON PAGE 2) →

What Can Help You Tell the Difference

ADHD and perimenopause can overlap. The goal is not to sort every symptom perfectly on your own. It is to notice patterns, reduce self-blame, and gather the information you need for support.

FEATURE	ADHD	PERIMENOPAUSE	BOTH
WHEN IT STARTED	Signs usually begin in childhood, even if	New or worsening changes often appear in	Longstanding ADHD plus a noticeable recent shift.
PATTERN	Often varies with interest, demands,	May fluctuate with cycles, sleep, and hormonal	Baseline ADHD difficulties become harder to manage.
PERIOD CHANGES	ADHD itself does not usually change	Cycles may become irregular, heavier,	Cycle changes occur alongside changes in ADHD functioning.
HELPFUL CLUES	Similar patterns across years and settings.	Hot flashes, night sweats, cycle changes, or new sleep	Tracking shows both a lifelong pattern and a newer change.

IMPORTANT REMINDER

You do not have to choose one label before asking for help.

ADHD is a lifelong neurodevelopmental difference. Perimenopause is a hormonal transition. They can affect many of the same areas, and they can occur together.

The useful question is not, "Which one explains everything?" It is, "What changed, what has always been true, and what support fits now?"

WHAT CAN HELP

1. **TRACK YOUR PATTERNS**
   Track cycle changes, sleep, mood, focus, and overwhelm for several weeks. Patterns provide useful clues.
2. **GET A FULL PICTURE**
   Share both your lifelong ADHD history and newer midlife changes with a qualified clinician.
3. **KEEP ADHD SUPPORTS IN PLACE**
   Continue routines, accommodations, medication discussions, and practical executive-function support.
4. **SUPPORT SLEEP AND RECOVERY**
   Reduce unnecessary demands and protect rest, food, movement, hydration, and recovery time.
5. **DISCUSS TREATMENT OPTIONS**
   Ask a qualified clinician about ADHD treatment, menopause care, and whether either plan needs adjustment.
6. **BE KIND TO YOURSELF**
   A change in capacity is information. It is not evidence that you have failed.

YOU DESERVE SUPPORT THAT FITS YOU

A change in functioning does not mean you are failing. It may mean your brain and body need different support now. Track the pattern, lower the load, and bring the full picture to a clinician who understands both ADHD and midlife hormonal change.

This handout provides general education and is not a diagnostic tool.